MATERIAL SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

National Institute of Standards and Technology **Standard Reference Materials Program**

100 Bureau Drive, Stop 2320 Gaithersburg, Maryland 20899-2320

MSDS Coordinator: Carmen Davis

Telephone: (301) 975-6776 FAX: (301) 926-4751

E-mail: SRMMSDS@nist.gov

SRM Number: 1493 MSDS Number: 1493

SRM Name: Polychlorinated Biphenyl Congeners in 2,2,4-Trimethylpentane

Date of Issue: 17 September 2004

Emergency Telephone ChemTrec: 1-800-424-9300 (North America) +1 703 527 3887 (International)

Description: This Standard Reference Material (SRM) is a solution of 20 polychlorinated biphenyl

(PCB) congeners in 2,2,4-trimethylpentane (isooctane). This SRM is intended primarily for use in the calibration of chromatographic instruments used for the determination of the certified compounds. A unit of SRM 1493 consists of five 2-mL ampoules, each

containing approximately 1.2 mL of solution.

Substance: Polychlorinated Biphenyl Congengers in Trimethylpentane

Other Designations: 2,2,4-Trimethylpentane (isooctane; isobutyltrimethylmethane; trimethylpentane;

iso-octane; 2,2,4-trimethylpentane)

1. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Hazardous Component	CAS Number	EC Number ^(a) (EINECS)	Proportion ^(b)
2,2,4-trimethylpentane	540-84-1	208-759-1	≈ 100 %
2,4'-dichlorobiphenyl	33284-50-3	Not assigned	
2,2',5-trichlorobiphenyl	37680-65-2	Not found	
2,4,4'-trichlorobiphenyl	7012-37-5	230-293-2	
2,2',3,5'-tetrachlorobiphenyl	41464-39-5	Not found	
2,2',5,5'-tetrachlorobiphenyl	35693-99-03	Not found	
2,3',4,4'-tetrachlorobiphenyl	32598-10-0	Not found	
3,3',4,4'-tetrachlorobiphenyl	32598-13-3	Not assigned	
2,3',4,4',5-pentachlorobiphenyl	37680-73-2	Not found	
2,3,3',4,4'-pentachlorobiphenyl	32598-14-4	Not found	
2,3',4,4',5-pentachlorobiphenyl	31508-00-6	Not found	
3,3',4,4',5-pentachlorobiphenyl	57465-28-8	Not found	
2,2',3,3',4,4'-hexachlorobiphenyl	38380-07-3	Not found	
2,2',3,4,4',5'-hexachlorobiphenyl	35065-28-2	Not assigned	
2,2',4,4',5,5'-hexachlorobiphenyl	35065-27-1	Not assigned	
2,2',3,3',4,4',5-heptachlorobiphenyl	35065-30-6	Not found	
2,2',3,4,4',5,5'-heptachlorobiphenyl	35065-29-3	Not assigned	
2,2',3,4',5,5',6-heptachlorobiphenyl	52663-68-0	Not found	
2,2',3,3',4,4',5,6-octachlorobiphenyl	52663-78-2	Not found	
2,2',3,3',4,4',5,5',6-nonachlorobiphenyl	40186-72-9	Not found	
2,2',3,3',4,4',5,5',6,6'-decachlorobiphenyl	2051-24-3	Not found	
2,2,4-trimethylpentane	540-84-1	208-759-1	< 100 %

⁽a)EC Number (EINECS) not found in source(s) used.

MSDS 1493 Page 1 of 5

⁽b)This material contains polychlorinated biphenyl congeners, many of which have been reported to have toxic, mutagenic, and/or carcinogenic properties, and should be handled with care. The polychlorinated biphenyl congeners in this material have a total concentration of < 0.1 % and DO NOT require individual MSDS information under current regulations. For actual concentrations, see the corresponding Certificate of Analysis.

Trimethylpentane

EC Class: F, Xn, Xi, N;

EC Risk (R No.): R11, R38, R50/53, R65, R67

EC Safety (S No.): S2, S9, S16, S29, S33, S60, S61, S62

See section 15: "Regulatory Information".

3. HAZARDS IDENTIFICATION

Major Health Hazards: Central nervous system depression. Respiratory tract irritation. Aspiration hazard.

Potential Health Effects

Eye Contact: Irritation may occur.

Skin Contact: Contact may cause irritation with redness. If sufficient amounts are absorbed, systemic

toxicity may occur.

Inhalation: Exposure to trimethylpentane may cause irritation of the mucous membranes.

Exposure may cause rapid breathing, dizziness, fatigue, headache, light-headedness, lack of coordination, nausea, narcosis, and other central nervous system effects.

Extreme exposure may cause unconsciousness and respiratory arrest.

Ingestion: Lung damage may occur if aspirated into the lungs and may be fatal. Symptoms may

include coughing, difficulty breathing, cyanosis, and pulmonary edema. May cause diarrhea, difficulty breathing, fatigue and slight central nervous system depression. In animal studies, aspiration of C6-C8 hydrocarbons resulted in almost immediate death

due to respiratory paralysis, asphyxia, and cardiac arrest.

Additional Toxicological

Information: Refer to Section 11, "Toxicological Information".

Target Organs: Central nervous system.

Medical Conditions

Aggravated by Exposure: None reported.

Physical Hazards: Flammable.

Additional Information on

Fire and Explosion Hazards: Refer to Section 10, "Stability and Reactivity".

Additional Toxic Information: See section 11, "Toxicological Information".

Listed as a Carcinogen/

Potential Carcinogen:

Yes No X

X
 In the National Toxicology Program (NTP) Report on Carcinogens.
 X
 In the International Agency for Research on Cancer (IARC) Monographs.

By the Occupational Safety and Health Administration (OSHA).

4. FIRST AID MEASURES

Skin Contact: Remove contaminated clothing and shoes. Wash skin with soap and water for at least

15 minutes. Obtain medical assistance, if needed. Clean contaminated clothing before

reuse.

Eye Contact: Immediately flush eyes, including under the eyelids, with copious amounts of water for at

least 15 minutes. Obtain medical assistance.

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial

respiration by qualified personnel. Get immediate medical attention.

Ingestion: If a large amount is swallowed, obtain immediate medical assistance.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: This material is a severe fire hazard; the vapor is heavier than air. Vapors or gases may

ignite at distant ignition sources and flash back. Vapor/air mixtures are explosive above

flash point.

MSDS 1493 Page 2 of 5

Extinguishing Media: Use extinguishing media that is compatible for the surrounding material and fire.

Fire Fighting: Move container from fire area if possible without exposure to risk. Avoid inhalation of

material or combustion by-products. As in any fire, wear full protective clothing and

NIOSH-approved self-contained breathing apparatus.

Flash Point (°C): -12 °C

Method Used: CC

Autoignition Temp. (°C): 415 °C

Flammability Limits in Air

Upper (Volume %): 6.0 Lower (Volume %): 1.1

6. ACCIDENTAL RELEASE MEASURES

Occupational Release: Isolate the hazard area and deny entry. Collect spilled material in appropriate container

for disposal. Keep out of water supplies and sewers.

Disposal: See section 13, "Disposal Considerations".

7. HANDLING AND STORAGE

Storage: Store and handle in accordance with all current regulations and standards. Store

material with the cap tightly closed, in a dry environment, and under normal laboratory

conditions. Keep separated from incompatible materials.

Safe Handling Precautions: Use methods to minimize dust. See section 8, "Exposure Controls and Personal

Protection".

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational Exposure Limits: Trimethylpentane

No occupational limits established.

Engineering: An eye wash station, drench shower, and a local exhaust ventilation system should be

readily available near areas of use.

Ventilation: Use a local exhaust ventilation system. Ensure compliance with applicable exposure

limits.

Respirator: For conditions of frequent use or heavy exposure where exposure is apparent and

engineering controls are not feasible, respirator protection may be needed. Refer to the "NIOSH Guide to the Selection and Use of Particulate Respirators Certified under 42

CFR 84" for selection and use of respirators certified by NIOSH.

Eye Protection: Wear safety goggles. **DO NOT** wear contact lenses in the laboratory.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

MSDS 1493 Page 3 of 5

Component: 2,2,4-Trimethylpentane Appearance and Odor: Clear liquid. Gasoline odor. Molecular Weight: 114.23 Molecular Formula: $(C-H_3)_2-C-H-C-H_2-C-(C-H_3)_3$ **Specific Gravity:** 0.6919 g/cm³ 99 °C **Boiling Point:** Water Solubility: Immiscible. **Solvent Solubility:** Soluble in ether, alcohol, acetone, benzene, toluene, chloroform, xylene, carbon disulfide, carbon tetrachloride, dimethylformamide, oils 10. STABILITY AND REACTIVITY Stability: X Stable Unstable Stable at normal temperatures and pressure. **Conditions to Avoid:** None reported. **Incompatible Materials:** Trimethylpentane is incompatible with metals and oxidizing materials See Section 5: "Fire Fighting Measures". **Hazardous Decomposition:** Thermal decomposition of trimethylpentane may produce oxides of carbon. **Hazardous Polymerization:** Χ **Will Not Occur** Will Occur 11. TOXICOLOGICAL INFORMATION Route of Entry: X Inhalation Χ Skin Ingestion **Toxicological Data** Rat, Inhalation LC₅₀: 33.52 mg/15 min Rat, Oral LD₅₀: > 5000 mg/kg Target Organs: Central nervous system. **Medical Conditions** Aggravated by Exposure: None known. **Health Effects** (Acute and Chronic): See section 3, "Hazards Identification," for potential health effects. 12. ECOLOGICAL INFORMATION **Ecotoxicity Data:** Not available. 13. DISPOSAL CONSIDERATIONS **Waste Disposal:** Dispose in accordance with all applicable federal, state, and local regulations. Keep out of water supplies and sewers. 14. Transportation Information

9. PHYSICAL AND CHEMICAL PROPERTIES

U.S. DOT and IATA:

MSDS 1493 Page 4 of 5

Octanes; Class Hazard 3; Packing Group II; ID No. UN1262.

15. REGULATORY INFORMATION

U.S. REGULATIONS:

SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):

ACUTE: Yes
CHRONIC: No
FIRE: Yes
REACTIVE: No
SUDDEN RELEASE: No

EC CLASSIFICATION:

F Highly Flammable

Xn Harmful Xi Irritant

N Dangerous for the Environment

EC RISK AND SAFETY PHRASES:

R11 Highly flammable.
R38 Irritating, to skin.
R50/53 Very toxic to aquatic

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.R67 Vapors may cause drowsiness and dizziness.

S2 Keep out of reach of children

S9 Keep container in a well-ventilated place.

S16 Keep away from sources of ignition - No smoking.

S29 Do not empty into drains.

S33 Take precautionary measures against static discharges.

This material and/or its container must be disposed of as hazardous waste.

S61 Avoid release to the environment. Refer to special instructions/Safety data sheets.

S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

16. OTHER INFORMATION

Sources: MDL Information Systems, Inc., MSDS 2,2,4-Trimethylpentane, 19 March 2003.

Certificate 1493 *Polychlorinated Biphenyl Congeners in 2,2,4-Trimethylpentane*; National Institute of Standards and Technology, U.S. Department of Commerce: Gaithersburg, MD (1995).

Disclaimer: Physical and chemical data contained in this MSDS are provided only for use as a guide in assessing the hazardous nature of the material. The MSDS was prepared carefully, using current references; however, NIST does not certify the data in the MSDS. The certified values for this material are given in the NIST Certificate of Analysis.

MSDS 1493 Page 5 of 5